

9200163

THE CONTRESION STRATES OF ANY DERICAL

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Asgrow Seed Company

Whereas, there has been presented to the

Secretary of Agriculture

an application requesting a certificate of protection for an alleged novel variety of sexually reproduced plant, the name and description of which are contained in the application and exhibits, a copy of which is hereunto annexed and made a part hereof, and the various requirements of LAW in such cases made and provided have been complied with, and the title thereto is, from the records of the Plant Variety Protection Office, in the applicant(s) indicated in the said copy, and WHEREAS, upon due examination made, the said applicant(s) is (are) adjudged to be entitled to a certificate of plant variety protection under the LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, or importing it, or exporting it, or using it in producing a hybrid or different lety therefrom, to the extent provided by the Plant Variety Protection Act 1.1542, As amended, 7 U.S.C. 2321 et seq.)

SO YBEAN

'A2242'

In Lestimony Watercot, I have hereunto set my hand and caused the seal of the Plant Taxisty Protection Office to be affixed at the City of Washington, D.C. this 30th day of September in the year of our Lord one thousand nine hundred and ninety-four.

Secretary of Agriculture

Plant Variety Protection Office Agricultural Marketing Service Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250, and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055). Washington, 20250.

APPLICATION FOR PLANT VARIET	TING SERVICE Y PROTECTION	N CERTIFICAT	Ē	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C., 2421) Information is held confidential until
1. NAME OF APPLICANT(S) (as it is to appear on the Certificate)	reverse)	2 TEMPORARY DESIG	NATION OR	certificate is issued (7 U S C 2426). 3 VARIETY NAME
ASGROW SEED COMPANY		XP2242	,	A2242
4 ADDRESS (street and no or R.F.D. no., city, state, and ZIP)			e code)	
9646–190–20				PVPO NUMBER
7000 Portage Road		616 385–6	649	9200163
Kalamazoo, MI 49001				F Date
6. GENUS AND SPECIES NAME			5 22	april 27, 1992
Glycine Max		N Timé MAN MEN		
B CROP KIND NAME (Common Name)			<u> </u>	F Filing and Examination Fee.
Soybean	ľ	1987/a 😲	·210/4/94)	E 3 2/301
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGAN	IZATION (Corporation, part	DEPTEM	ber)	1995
Corporation				E Cemilicate Fee
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	TION FOR PLANT VARIETY PROTECTION CERTIFICATE (Instructions on reverse) Start of its to appear on the Centricates Start of its to appear on the Centricates 2 TEMPORARY DESIGNATION OR SATISFACTORY TO START AND THE CENTRAL START AND THE CEN			
Delaware		•		
13 NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO				. ,
9646-190-20				5–1777
Asgrow Seed Company				:11 TYY F0.5//
Gill Rd_Bldg 100 Volomo-co			, Janes lude area code	VIIIe, WI 53546
a Exhibit A. Origin and Breeding History of the Variety	w INSTRUCTIONS on revers	(e)		
b 🔀 Exhibit B, Novelty Statement				
c Exhibit C, Objective Description of Variety				•
	,			•
Seed Sample (2.500 viable untreated seeds) Date Seed	Sample mailed to Plant V	ariety Protection Office		
9 X Filing and Examination Fee (\$2,150) made payable to "Ti	easurer of the United Sta	ites "		
Protection Act) YES (# "YES." enswer dems 16 and 17 beld			ED SEED? (See	section 83(a) of the Plant Variety
16 DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS T NUMBER OF GENERATIONS?			S OF PRODUCT	TION-BEYOND BREEDER SEED?
F	Four	NDATION	□ ÆÉGISTEÍ	RED KI/CERTIFIED
18 DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VAR	JETY IN THE U.S.?			
YES (# "YES." Ihrough Plant Variety Protection Act	Patent Act Give date		1 7 % 1 %	0 8 0 1992 FI
grand,	RKETED IN THE U.S. OR OT	THER COUNTRIES?	-1 N	The Ap
XXNO				
20 The applicant(s) declare(s) that a viable sample of basic see	ds of this variety will i	e furnished with th	application	and will be replenished upon
The undersigned applicant(s) is (are) the owner(s) of this s uniform, and stable as required in section 41, and is entitled	exually reproduced ne to protection under the	provisions of section	n 42 of the Pla) that the variety is distinct, ant Variety Protection Act.
Applicants) is (are) informed that false representation herei	n can jeopardize protec	ction and result in pe	nalties.	
SWA E. Stanvalt	Souple	an (Parlie)	+ Menay	DATE 4/6/92
SIGNATURE OF APPLICANT (OWNER(S)) White Control of the Control of	CAPACITY OR THE	1 Sule. Ka	2864 e E	4-6-92-
FORM CSSD-470 (5-89) Edition of FORM LS-470, 3-86, is obsolete		1 1		

EXHIBIT A

ORIGIN AND BREEDING HISTORY OF A2242

•	ORIGIN AND BREEDING HISTORY OF A2242
1985	Cross was made in Ames in 1985. Parentage: Sherman * XP1928 XP1928 = (Hardin*Williams)*[[(Tracy*Williams)*HW79149]*A3127]
1985-86 (Winter)	Fl and F2 generation grown at Isabela, Puerto Rico.
1986	F3 generation grown at Redwood Falls, Minnesota. Two hundred plants selected from a bulk population and threshed individually.
1987	Progeny Row J851432 A87-00921 was selected for its uniformity in plant height and standability. This row was harvested in bulk and seeds were checked and verified for uniform seed coat luster and hilum color.
Sept 1987	J851432 A87-00921 was determined to be a unique and stable line.
1988	J851432 A87-00921 was entered in a preliminary (R154-29) yield test, conducted at 5 locations in Minnesota, Northern Iowa and Wisconsin.
1989	J851432 A87-00921 was entered into the advanced \$151 yield test conducted at 9 locations in 4 states.
Fall 1989	100 F6 plants were selected and threshed individually. 60 F6 plants were then sent to Puerto Rico for seed increase.
1990	J851432 A87-00921 was entered into the advanced V150 and V201 test as experimental stage 2 X2242, conducted at 15 and 20 locations respectively.
	A 40-entry subline yield test was conducted at 2 locations in 2 states. 4 sublines were bulked together to form the main seed source of X2242.
Fall 1990	90 1b of breeders seed was sent to Puerto Rico for seed increase.
1991	XP2242 was entered into the advanced V201 yield trial grown at

23 locations in 8 states.
Foundation seed of XP2242 was produced near Perry, Iowa.
XP2242 was nominated for release and assigned the designation A2242.
A2242 is uniform and stable within commercially acceptable limits based on trial observations since September 1987. As with other soybean varieties, variants can occur for almost any characteristic during the course of repeated sexual reproduction.

ASGROW SEED COMPANY PVP APPLICATION A2242 SOYBEAN April, 1992

EXHIBIT B

NOVELTY STATEMENT CONCERNING A2242 SOYBEAN

To our knowledge the soybean varieties that most closely resemble A2242 are A2234, Weber 84, WKS 19-90. Characteristics which differentiate A2242 include:

1) Flower Color

A2242 = White

A2234 = Purple Weber 84 = White -NKS19-90 = Purple

2) Pubescence Color

A2242 = Tawny

A2234 = Tawny Weber 84 = Tawny NKS19-90 = Tawny

3) Hilum Color

A2242 = Gray A2234 = Black Weber 84 = Black NKS19-90 = Gray

4) Reaction to Races of Phythophthora megasperma f. sp. glycinea:

Races

<u>1 2 3 4 5 7 8 9 10 11 12 13 16 17 19 20 21 25</u> A2242 RRRRRRRR R S R S R S S R S A2234 RRRRRRRR R S R S R S S Weber 84 RRSSSSSSR R R. R S R R R R NKS19-90 RRRSSRRRS S S R S S HS 20 July 1794

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

SOYB	BEAN (Glycine r	max L.)	
NAME OF APPLICANT(S)	TEMPORARY E	DESIGNATION VARIETY NAME	
ASGROW SEED COMPANY	XP2242	A2242	•
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip C	Code)	FOR OFFICIAL USE ONLY	
9638-190-23		PVPO NUMBER	
Gull Road, Building 190 Kalamazoo, MI 49001	•	9200163	
Choose the appropriate response which characterizes the in your answer is fewer than the number of boxes provide Starred characters * are considered fundamental to an ad when information is available.	ed, place a zero in	n the first box when number is 9 or less (e.g., 0 9]).
1. SEED SHAPE:	\bigcirc		
	w T		
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	li li 2 = Sph	herical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) ongate Flattened (L/T ratio > 1.2; T/W > 1.2)	
2. SEED COAT COLOR: (Mature Seed)			
1 1 = Yellow 2 = Green 3 = Brown	4 = Black	5 = Other (Specify)	
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	·		. .
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Ne	ebsoy'; 'Gasoy 17')		
4. SEED SIZE: (Mature Seed)			
1 4 Grams per 100 seeds			•
5. HILUM COLOR: (Mature Seed)			
4 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5	5 = Imperfect Black 6 = Black 7 = Other (Special	fy)
6. COTYLEDON COLOR: (Mature Seed)		A STATE OF THE STA	
1 1 = Yellow 2 = Green	4.		
7. SEED PROTEIN PEROXIDASE ACTIVITY:			
2 1 = Low 2 = High			
8. SEED PROTEIN ELECTROPHORETIC BAND:			
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b))		
9. HYPOCOTYL COLOR:			
1 = Green only ('Evans'; 'Davis') 2 = Green v 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71 4 = Dark Purple extending to unifoliate leaves ('Hodgson')	1'}	elow cotyledons ('Woodworth'; 'Tracy') 266A')	
10. LEAFLET SHAPE:			
3 1 = Lanceolate 2 = Oval 3 = Oval	te 4 = Othe	her (Specify)	

1	1. LEAFL	ET SIZE:				
	2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corso	oy 79'; 'Gasoy 17')		
	LEAG (POLOP.	· · · · · · · · · · · · · · · · · · ·			· · · · · ·
. 12	2. LEAF (1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Medium Green	('Corsoy 79'; 'Braxton')		
·	ų ·	·				
* 1:	3. FLOW	ER COLOR:			A Company of the Comp	
	1	1 = White 2 = Purple	3 = White with purple	throat	general areas and a second	·
★ 14	, POD C	OLOR:			more terminate and a second of the second of	**************************************
	1	1 = Tan 2 = Brown	3 = Black			
* 15	. PLANT	PUBESCENCE COLOR:				
•	2	1 = Gray 2 = Brown (Tawny)				
16	. PLANT			The second second second	and the second of the second o	
	2	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('A	Amcor'; 'Braxton')		
<u> </u>	, PLANT	HARIT.				
	3	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Po	2 = Semi-Determina elican')	ite ('Will')		y v
★ 18	MATUR	RITY GROUP:				
	0 5	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VII	4 = I 5 = II II 12 = IX 13 = 3	6 = III 7	= IV 8 = V	
						<u> </u>
★ 19	. DISEAS	SE REACTION: (Enter 0 = Not Tested; 1 =	Susceptible; 2 = Resistant)			
	BACT	ERIAL DISEASES:			Mark Strain Strain	
; ★	0	Bacterial Pustule (Xanthomonas phaseoli v	var. sojensis)	· · · · · · · · · · · · · · · · · · ·	en er en en Samerika (h. 1888). En er en	
. *	0	Bacterial Blight (Pseudomonas glycinea)				
		Wildfire (Pseudomonas tabaci)		· · · · · · · · · · · · · · · · · · ·		
*	EUNGA	AL DISEASES:			in the State of	• .
*	0	Brown Spot (Septoria glycines)			waterstoon Alexander	
		Frogeye Leaf Spot (Cercospora sojina)			•	
*	0		Race 4	Race 5	Other (Specify)	
	0	Target Spot (Corynespora cassiicola)				
	1	Downy Mildew (Peronospora trifoliorum v	ar. manshurica)		•	
	2	Powdery Mildew (Microsphaera diffusa)				
•	H	Brown Stem Rot (Cephalosporium gregatus	m)			
•	0	Stem Canker (Diaporthe phaseolorum var.		·		_

FORM LMGS-470-57 (6-83)

19. DISEA	SE REACTION	N: (Enter 0 = Not Test	ed; 1 = Susceptible; 2 =	Resistant) (Continued)		
FUN	IGAL DISEASI	ES: (Continued)			1 4	
★ 0	Pod and Ster	n Blight <i>(Diaporthe ph</i>	aseolorum var; sojae)		•	
0	Purple Seed	Stain <i>(Cercospora kiku</i>	chii)			Set State Formula Court
0	Rhizoctonia	Root Rot (Rhizoctonia	a solani)			en e
	Phytophthor	a Rot (Phytophthora n	negasperma var. sojae)			San Jan San Jan
★ 2	Race 1	2 Race 2	2 Race 3 2	Race 4 2 Race	5 0 Ra	ce 6 2 Race 7
2	Race 8	2 Race 9	2 Other (Specify)	Resistant to Rac		
VIR	AL DISEASES:					
	Bud Blight (1	Fobacco Ringspot Viru	s)			e in the forest to be a first to be
0	Yellow Mosa	ic (Bean-Yellow Mosaid	: Virus)			et en kombetekkense fan de s
* 0		aic (Cowpea Chlorotic			÷	
		Bean Pod Mottle Virus)				and analysis of the
* 0		Soybean Mosaic Virus				ing and the second seco
NEM	ATODE DISEA					
	Soybean Cyst	t Nematode (Heteroder	a glycines)	·		
★ 0	Race 1	O Race 2	1 Race 3 1	Race 4 O Other	(Specify)	
	Lance Nemat	ode (Hoplolaimus Colo		There is a content	(Specify)	
* 🗇		ot Knot Nematode (Me				
→		ot Knot Nematode (Me				
		Knot Nematode (Meloi				
		matode (Rotylenchulus				
		ASE NOT ON FORM				
		-AUL AUT ON TORIN	ispecity).	-		and the second of the second o
20. PHYSIC	LOGICAL RE	SPONSES: (Enter Q =	Not Tested; 1 = Suscep	tible; 2 = Resistant)		The second of th
* 1	Iron Chlorosis	on Cafcareous Soil				en e
	Other (Specify	v)				
21. INSECT	REACTION:	(Enter 0 = Not Tested	1 = Susceptible; 2 = Re	esistant)		
0	Mexican Bean	Beetle (Epilachna vari	vestis)	•	4	to a sewer et organist aeta.
0	Potato Leaf H	opper (Empoasca faba	· e <i>j</i>			
	Other (Specify	v)				
22. INDICA	TE WHICH VA	RIETY MOST CLOSE	LY RESEMBLES THA	T SUBMITTED.		** *******
······································	ACTER	1	F VARIETY	CHARACTER	T	AME OF VARIETY
Plant Sha	ape	A2234		Seed Coat Luster	A2234	
Leaf Sha	pe	Weber 84		Seed Size	Weber	84
Leaf Cold		A2234		Seed Shape	A2234	
Leaf Size	·	Weber 8	4	Seedling Pigmentation	Weber	84
				· ·	1	

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
A2242 Submitted	129	1.5	77	7.0	12.5	42.0	20.5	14	2.6
A2234 Name of Similar Variety	129	1.6	81	8.9	13.8	41.2	21.5	18	2.6

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

ASGROW SEED COMPANY PVP APPLICATION A2242 SOYBEAN APRIL, 1992

EXHIBIT D

ADDITIONAL DESCRIPTION OF VARIETY

A2242 is an early group II cultivar that possesses an outstanding combination of characteristics needed by producers in its maturity zone. It combines high yield potential, excellent standability, resistance to powdery mildew and resistance to many races of Phytophthora megasperma f. sp. glycinea conferred by the RpslK alleles.

ASGROW SEED COMPANY PVP APPLICATION A2242 SOYBEAN APRIL, 1992

EXHIBIT E

STATEMENT OF BASIS OF APPLICANT OWNERSHIP

A2242 was originated and developed by Roger L. Lussenden, an Asgrow plant breeder. By agreement between Asgrow Seed Company, all rights to any invention, discovery or development made by employees are assigned to the company. No rights of such invention, discovery or development are returned by the employee.

retained

21 April 1992